

## HOODS

Whether you're looking to add a focal point in your kitchen, or simply looking for a practical solution to keeping your kitchen clean and free from cooking smells, grease and steam we have a wide range of stylish hoods to suit all budgets, lifestyles and kitchens spaces.

Most of our hoods are suitable to vent or recirculate and require either a 125mm or 150mm ducting kit for external venting (see below.)



**KITVENT1F**  
125mm ventilation kit  
for external venting



**KITVENT2**  
150mm ventilation  
kit for external  
venting



### DESIGNED FOR AN ISLAND UNIT



**UBDDGS60ABK**  
60cm downdraft extractor

- stainless steel/black glass
- 4 fan speeds
- 2 x 1W LED lights
- touch control blue LED display
- motorised lift mechanism
- can be used with a gas hob
- max noise level 73dB
- 579.9m<sup>3</sup>/hr extraction
- filter code: ATFILT3
- 150mm ducting
- dimensions: W580 x D368 x H725-1100mm



**UBDDGS90ABK**  
90cm downdraft extractor

- stainless steel/black glass
- 4 fan speeds
- 2 x 1W LED lights
- touch control blue LED display
- motorised lift mechanism
- can be used with a gas hob
- max noise level 73dB
- 605.5m<sup>3</sup>/hr extraction
- filter code: ATFILT3
- 150mm ducting
- dimensions: W880 x D368 x H725-1100mm



A

**UBSDCH90W**  
90cm designer in-ceiling hood

- stainless steel/white glass
- 3 fan speeds
- 1 x 8W LED panel
- white LED mood lighting
- touch control/remote control
- max noise level 66dB
- 596.5m<sup>3</sup>/hr extraction
- filter code: SCF1
- 150mm ducting
- dimensions: W900 x D500 x H326mm

A



white glass



black glass

**90cm DESIGNER IN-CEILING HOOD**  
UBSDCH901W  
UBSDCH902BK

- available in white glass or black glass
- 3 fan speeds
- 2 x 5W LED strip lights
- touch control/remote control
- max noise level 68dB
- 618m<sup>3</sup>/hr extraction
- filter code: SCF1
- 150mm ducting
- dimensions: W895 x D500 x H319mm



stainless steel



black



white

**110cm DESIGNER IN-CEILING HOOD**  
UBADCH110SS1  
UBADCH110BK1  
UBADCH110W1

- available in stainless steel, black/stainless steel or white/stainless steel
- 3 fan speeds
- 4 x 1.5W LED lights
- touch control/remote control
- max noise level 74dB
- 991.5m<sup>3</sup>/hr extraction
- filter code: ATFILT1
- 150mm ducting
- dimensions: W1100 x D700 x H300-520mm

PERFECT DESIGN FOR A LARGE OPEN SPACE KITCHEN  
WITH AN ISLAND DESIGN



stainless steel



black

**ISLA90SS/ISLA90BK**  
90cm curved glass island hood

- available in stainless steel/glass or black/glass
- 3 fan speeds
- 4 x 1.5W LED lights
- 5 x button soft electronic touch control
- max noise level 68dB
- 639.7m<sup>3</sup>/hr extraction
- filter code: TMFILT4
- 150mm ducting
- dimensions: W895 x D600 x H709-1269mm



stainless steel



black

BLACK  
AVAILABLE  
MAY

**ISLAICON1/ISLAICONBK1**  
35cm island chandelier hoods

- available in stainless steel or black
- 3 fan speeds
- 2 x 1W LED lights
- electronic button control
- max noise level 72dB
- 557.5m<sup>3</sup>/hr extraction
- filter code: ATFILT5
- Recirculation only
- dimensions: diameter: 352 x H600-1600mm



A

stainless steel



black

**ANGLED HEADROOM HOODS**

60cm UBLCHH60SS  
60cm UBLCHH60

- available in stainless steel/black curva glass, black steel & curva glass/stainless steel flue
- 3 fan speeds
- 2 x 1.5W warm LED lights
- push button control
- max noise level 58dB
- 290m<sup>3</sup>/hr extraction
- filter code: TMFILT1
- 150mm ducting
- dimensions: W595 x D294 x H776-1056mm



A+

**ICON60H**  
60cm angled hood

- black
- 9 fan speeds
- 2 x 1.5W LED lights
- LED touch control
- brushless motor technology
- max noise level 62dB
- 522.8m<sup>3</sup>/hr extraction
- filter code: TMFILT4
- 150mm ducting
- dimensions: W595 x D400 x H825-1100mm



A+

**ICON90H**  
90cm angled hood

- black glass
- 9 fan speeds
- 2 x 1.5W LED lights
- LED touch control
- brushless motor technology
- max noise level 62dB
- 522.8m<sup>3</sup>/hr extraction
- filter code: TMFILT4
- 150mm ducting
- dimensions: W895 x D400 x H825-1100mm



### ANGLED GLASS HOODS

60cm ANG60BKS  
70cm ANG70BKS  
90cm ANG90BKS

- black glass/stainless steel flue
- 3 fan speeds
- 2 x 1.5W warm LED lights
- touch control
- max noise level 64dB
- 326m<sup>3</sup>/hr extraction
- filter code: TMFILT1
- 150mm ducting
- 60cm dimensions:  
W595 x D348 x H490-775mm
- 70cm dimensions:  
W695 x D348 x H490-775mm
- 90cm dimensions:  
W895 x D348 x H490-775mm



**KITVENT1F**  
125mm ventilation kit  
for external venting



**KITVENT2**  
150mm ventilation kit  
for external venting



### ICE BLUE LED EDGE LIGHTING



### ANGLED GLASS HOOD WITH LED HALO

60cm UBAHALO6  
70cm UBAHALO7  
90cm UBAHALO9

- black steel/glass
- 3 fan speeds
- 1 x 3W LED & 1 x 3W ambient light
- ice blue LED edge lighting
- touch control
- radio frequency compatible
- max noise level 67dB
- 400m<sup>3</sup>/hr extraction
- filter code: CARBFILT4
- 125mm ducting
- 60cm dimensions:  
W598 x D330 x H340mm
- 70cm dimensions:  
W698 x D330 x H340mm
- 90cm dimensions:  
W898 x D330 x H340mm



### DECORATIVE LED LIGHTING



### ANGLED GLASS HOOD WITH DECORATIVE LED LIGHTS

60cm UBARUNW6  
70cm UBARUNW7  
90cm UBARUNW9

- black glass
- 3 fan speeds
- 1 x 3W LED & 2 x 3W ambient lights
- touch control
- radio frequency compatible
- max noise level 67dB
- 400m<sup>3</sup>/hr extraction
- filter code: CARBFILT4
- 125mm ducting
- 60cm dimensions:  
W598 x D350 x H820-1050mm
- 70cm dimensions:  
W698 x D350 x H820-1050mm
- 90cm dimensions:  
W898 x D350 x H820-1050mm



stainless steel



black

### CURVED GLASS CHIMNEY HOOD

60cm UBSCG60SS/UBSCG60BK  
70cm UBSCG70SS/UBSCG70BK  
90cm UBSCG90SS/UBSCG90BK

- available in stainless steel or black
- 3 fan speeds
- 1 x 1.5W round LED lights
- push button control
- 150mm ducting
- 60cm dimensions: W600 x D500 x H520-780mm
- 70cm dimensions: W700 x D500 x H520-780mm
- max noise level 64dB
- 308.3m<sup>3</sup>/hr extraction
- filter code: SCF2
- 90cm dimensions: W900 x D500 x H560-820mm
- max noise level 61dB
- 509.4m<sup>3</sup>/hr extraction
- filter code: SCF1

see pages 26 for matching splashbacks



stainless steel



black

### CHIMNEY HOOD

60cm UBSCH60SS/UBSCH60BK  
70cm UBSCH70SS/UBSCH70BK  
90cm UBSCH90SS/UBSCH90BK  
100cm UBSCH100SS/UBSCH100BK

- available in stainless steel or black
- 3 fan speeds
- push button control
- 150mm ducting
- 60cm dimensions: W600 x D465 x H580-960mm
- 70cm dimensions: W700 x D465 x H580-960mm
- 90cm dimensions: W900 x D465 x H580-960mm
- 2 x 2W LED lights
- max noise level 63dB
- 345m<sup>3</sup>/hr extraction
- filter code: SCF2
- 100cm dimensions: W1000 x D500 x H695-1075mm
- 2 x 1.5W LED lights
- max noise level 61dB
- 537.3m<sup>3</sup>/hr extraction
- filter code: SCF1



60cm



90cm

### BOX HOOD

60cm ICONBOX60.1  
70cm ICONBOX70.1  
90cm ICONBOX90.1

- stainless steel/black glass
- 3 fan speeds
- 2 x 1.5W LED lights
- touch control
- max noise level 67dB
- 565m<sup>3</sup>/hr extraction
- filter code: TMFILT4
- 150mm ducting
- 60cm dimensions: W600 x D500 x H660-1035mm
- 70cm dimensions: W700 x D500 x H660-1035mm
- 90cm dimensions: W900 x D500 x H660-1035mm



**KITVENT1F**  
125mm ventilation kit for external venting



### FLAT GLASS HOOD

60cm UBFG60SS  
70cm UBFG70SS

- stainless steel/glass
- 3 fan speeds
- 2 x 1.5W LED lights
- push button control
- max noise level 71dB
- 578.3m<sup>3</sup>/hr extraction
- filter code: TMFILT4
- 150mm ducting
- 60cm dimensions: W595 x D470 x H520-970mm
- 70cm dimensions: W695 x D470 x H600-970mm



### UBINTD60SV.1 60cm integrated hood

- silver
- 3 fan speeds
- 1 x 2W LED light
- slider control
- max noise level 68dB
- 221.7m<sup>3</sup>/hr extraction
- filter code: ATFILT1
- 120mm ducting
- dimensions: W600 x D284 x H395mm



white



black



stainless steel

### 60cm VISOR HOOD

UBSVH60W  
UBSVH60BK  
UBSVH60SS

- available in white, black or stainless steel
- 3 fan speeds
- 1 x 2W LED light
- push button control
- max noise level 70dB
- 192.7m<sup>3</sup>/hr extraction
- filter code: SCF3
- 125mm ducting
- dimensions: W600 x D480 x H82mm



### INSERT CANOPY HOOD

52cm UBCAN52SV.1  
70cm UBCAN70SV.1

- silver
- 3 fan speeds
- 2 x 2W LED lights
- slider control
- max noise level 68dB
- 197.5m<sup>3</sup>/hr extraction
- filter code: ATFILT1
- 120mm ducting
- 52cm dimensions: W520 x D296 x H162mm
- 70cm dimensions: W7000 x D296 x H162mm



stainless steel



black

### TELESCOPIC HOOD

60cm UBSTH60SS  
60cm UBSTH60BK.1  
90cm UBSTH90SS.1

- available in stainless steel or black (60cm only)

- 3 fan speeds
- 2 x 2W LED lights
- rocker control - stainless steel
- touch control - black
- max noise level 64dB
- 301m<sup>3</sup>/hr extraction
- filter code: SCF2
- 150mm ducting

- 60cm dimensions: W600 x D320-490 x H194mm
- 90cm dimensions: W900 x D320-490 x H194mm



white



black

### INSERT CANOPY HOOD

52cm  
UBICON52WN.1/  
UBICON52BK.1  
75cm  
UBICON75W.1/ UBICON75BK.1

- available in white glass or black glass

- 3 fan speeds
- 2 x 1.5W LED lights
- touch control
- max noise level 69dB
- filter code: ATFILT1
- 150mm ducting

- 52cm dimensions: W520 x D296 x H307mm
- 524.2m<sup>3</sup>/hr extraction
- 75cm dimensions: W750 x D296 x H307mm
- 571.2m<sup>3</sup>/hr extraction

## SPLASHBACKS



### straight cut stainless steel splashback

60cm SB60  
70cm SB70  
90cm SB90


- stainless steel
- easy clean finish
- dimensions: H750mm



### straight cut black splashback

60cm BSB675  
70cm BSB775  
90cm BSB975

- black glass
- easy clean finish
- dimensions: H750mm



S.